

2022

PYROLITHIC STONE



## © Copyright 2021 Citatah

All rights reserved. No part of this publication may be reproduced, distributed or transmitted in any form or by any means, including photocopying, scanning or other electronic or mechanical methods, without the prior written permission of the publisher, except where noted.

Published January 2021, color of pyrolithic stone in this publication may vary slightly due to the printing process, desktop, and mobile preview. Final color selection should be made from stone samples.

The detailed information in this publication may be modified or updated without prior notice.





06 - 09 WHY GEOLUXE 10 - 11

NEW REFLECTION COLLECTION

12 - 35 NEW REFLECTION COLLECTION 36 - 73

COLLECTION

74 SUPERIOR PROPERTIES 74

EDGE PROFILE

75 SPECIFICATION 76 - 77

**CONTACT US** 

**GEOLUXE** | Pyrolithic Stone

The Ultimate Surface for Luxury and Performance

Created by one of ASEAN's top construction specialists, with a history dating back more than 100 years, Geoluxe pyrolithic stone is based on 100% mineral materials, with zero resin. Scorch-proof and stain-resistant, it's suitable for use even in direct sun.

Citatah have held exclusive distribution rights in Indonesia for Geoluxe since 2016. Inspired by the world's finest marbles, SCG's Geomimicry technique ensures the vein in Geoluxe runs through the slab, just as in mined marbles. It's perfect for kitchens, bathrooms, indoor and outdoor bars, and architectural details from stairs to statement panels.



#### WHAT IS GEOLUXE®?

**GEOLUXE®** is a breakthrough Pyrolithic stone surface material which combines the noble beauty of natural marble with superior technical performance. A complex mixture of 100% minerals is transformed through our patented Geomimicry™ forming technology, and reveal realistic marble-like veins throughout the slabs.

**GEOLUXE®** overcomes the imperfections of natural marble and other manufactured surfaces, offering the ultimate combination of elegance and performance.

## WHAT DOES "PYROLITHIC STONE" MEAN?

Concept of "Pyrolithic stone" is combination of three words



#### PYRO

Chemistry/Mineralogy denoting a compound or mineral that is formed or affected by heat



#### LITHO


Greek of or relating to stone



#### STONE

A material that is inspired from marbles and resembling beauty of natural stones





#### WHY GEOLUXE®?

#### PRECIOUS MARBLE DESIGN

Being inspired by rare and precious marbles from world's best sources curated by marble connoisseurs

#### ONE OF A KIND VEIN-THROUGH EFFECT

The one and only sintered stone that achieves veinthrough-body effect by patented Geomimicry  $^{\text{TM}}$  forming technology

#### SUPERIOR TECHNICAL PERFORMANCE

With a complex mixture of 100% mineral-based materials without resin, GEOLUXE® is allowed to use OUTDOOR (due to UV resistance), free of scorch mark, resistant to stains and chemicals










## REFLECTION COLLECTION

A masterpiece collection garnishes together oriental wisdom 'Suiseki' (水石), the Japanese art of stone appreciation, with GEOLUXE's unique technology 'Geomimicry<sup>TM</sup>' that paints vein-through-body effect into every inch of the materials. Stones have their own beauty, and moreover, stories. The family of monochromatic marbles will take you to the journey of exotic art appreciation, and enliven the everyday living in your own space.



WOOL DAYLIGHT ZEN GREIGE



**GEO**LUXE

REFLECTION COLLECTION
REFLECTION

MIDDAY ZEN

MIDNIGHT ZEN


## WOOL

Inspired by everywhere peaceful surface of clouds or 'Kumo' (雲). Clouds symbolize hope and proximity to gods, as the Japanese old wisdom believes in the god of the sun. Experience our omnipotent material with the brightest design in our collection to uplift your mood in everyday living.









### WOOL

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

SURFACE FINISHES

## **DAYLIGHT ZEN**

Inspired by the mild color of Japanese Crane or 'Tsuru' (鶴). The graceful cloud dweller in Japanese folklore is a mythical creature that lives for a thousand years. For that, they symbolize good fortune and longevity. Appreciate the utmost steadiness from the material, and enjoy the design like the crane enjoy the full sunshine.









### **DAYLIGHT ZEN**

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

SURFACE FINISHES


## **GREIGE**

Mountain or 'Yama' (山) has long been the place of scholars and prophets in oriental cultures. The color of ashen Japanese mountains inspire our designers to bring the tranquil ambience to your space. Both design and benefits are as strong and magnificent as any mountain at its peak.









#### **GREIGE**


THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

SURFACE FINISHES

## **MIDDAY ZEN**

Inspired by the mightiest creature in Japanese folklore that represents the earth, 'Tora' (虎) or tiger. Graceful stripes of white tigers are captured and blended with mountain rocks, presenting the almighty material crafted into this invincible gray design.









#### **MIDDAY ZEN**

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

SURFACE FINISHES

## **MIDNIGHT ZEN**

Inspired by the flow of river (JII) or 'Kawa' that represents great journeys in Japanese poetry and folklores. Our designers have captured the calm yet sparkling gray surface of the Japanese river into the design, to bring a great journey to your own space.









#### **MIDNIGHT ZEN**

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

SURFACE FINISHES

# A LUXURIOUS COLLECTION THAT DRAWS ITS INSPIRATION FROM THE WORLD'S NOBLEST MARBLES

**GEOLUXE®** is a breakthrough Pyrolithic stone combining the noble beauty of natural marble with superior technical performance. A complex mixture of 100% mineral-based materials formed through patented GeoMimicry™ technology, the slabs reveal realistic marble-like veins throughout. It overcomes the imperfections of natural marble and other manufactured surfaces, offering the ultimate combination of elegance and performance.





This exotic blue marble full of life and character is an Italian dolomite marble with its renowned value in the world market. This marble has an unusual tint of gray and blue vein that really comes alive and is the ideal stone for any opulent interior stone wall or floor and countertops.

Inspired by Eramosa, a rare and precious marble only quarried in Canada, and characterized by striking longitudinal veins. Its high contrast earthy gray and dark gray accents bestow a sense of bold elegance to any space.

#### ALIVERI

Dark and mysterious, Aliveri represents the truly exquisite Greek calcareous marble extracted from island not far away from Athens. Its white veining over a dark gray setting signifies classic contrast, yet restfully sophisticated.

#### **ERAMO**

Eramo is inspired by the Canadian brown stone which its noble characteristics have charmed architects all over the world. Its warm color has been utilized in constructions of elegant palaces and important cathedrals.



Inspired by a Belgian black marble that is scarce in nature, hidden like a precious gem deep underground. Its intense dark background is tastefully balanced by diagonal traces of brilliant white.


## **AEOLUS**

Inspired by Eramosa, a rare and precious marble only quarried in Canada, and characterized by striking longitudinal veins. Its high contrast earthy gray and dark gray accents bestow a sense of bold elegance to any space.









## **AEOLUS**

### THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)


### SURFACE FINISHES

### **ARTEMIS**

Inspired by Eramosa, a rare and precious marble only quarried in Canada, and characterized by striking longitudinal veins. Its subtle contrast of earth toned whites makes it a versatile choice for creating warm welcoming spaces with an understated elegance.









## **ARTEMIS**

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

### SURFACE FINISHES

## **ERAMO**

Eramo is inspired by the Canadian brown stone which its noble characteristics have charmed architects all over the world. Its warm color has been utilized in constructions of elegant palaces and important cathedrals.









## **ERAMO**

### THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

### SURFACE FINISHES





## **EREBUS**

Inspired by a Belgian black marble that is scarce in nature, hidden like a precious gem deep underground. Its intense dark background is tastefully balanced by diagonal traces of brilliant white.









### **ALIVERI**

Dark and mysterious, Aliveri represents the truly exquisite Greek calcareous marble extracted from island not far away from Athens. Its white veining over a dark gray setting signifies classic contrast, yet restfully sophisticated.

## **DIONYSOS**

Dionysos calls to mind the city located northeast of Athens city center. It epitomizes the city with the same name. Our version of this Greek marble offers the pure white background with light gray veins that flow across the slab.









## **NESTOS GRAY**

Resolute bands of stately gray with notes of white, silver, and beige recall the dignified Greek marble. The Nestos Gray can satisfy the demand in any types of the greatest projects, from the classic style to the most modern applications.

## **NESTOS ROYAL**

With the embodiment of warmth and comfort, Nestos Royal aligns strands of white and cream to resemble the wood grain characteristic found only in the Nestos marble.









## **BLUETTE**

This exotic blue marble full of life and character is an Italian dolomite marble with its renowned value in the world market. This marble has an unusual tint of gray and blue vein that really comes alive and is the ideal stone for any opulent interior stone wall or floor and countertops.

## **PALISSANDRO**

This white and blue marble is interpreted from the characteristic of the fine-grained, veined white marble found in dolomites. It shines beautifully gorgeous, resembling the perfect characteristics of classic Palissandro.





### **OUR INSPIRATION**

**GEOLUXE®** sees the problem in different angles and realizes that we need to look back at the nature to learn how the marble is made and make it better.

We accordingly develop patented Geomimicry  $^{\text{TM}}$  forming technology that emulates the same process of stone creation into a space of minutes.

With the exclusive technology, our marble connoisseurs look for rare and precious marbles from world's noblest source, meticulously select and recreate them in better version to make sure you deserve the best.



## **EREBUS**

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

SURFACE FINISH

Polished



## **ALIVERI**

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

### SURFACE FINISHES



## **DIONYSOS**

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

### SURFACE FINISHES




## **NESTOS GRAY**

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

### SURFACE FINISHES



## **NESTOS ROYAL**

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

### SURFACE FINISHES



## **BLUETTE**

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

### SURFACE FINISHES



## **PALISSANDRO**

THICKNESS 20 mm (3/4 in)

Slab : 1400 x 3200 mm (55 x 126 in)

### SURFACE FINISHES

#### **SUPERIOR PROPERTIES**

By virtue of its superior properties that contribute to health, hygiene, and performance, **GEOLUXE®** is the ideal choice for kitchen and bathroom countertops.

The unique combination of properties that include stain, chemical, heat and frost resistance allows for easy maintenance and unmatched durability.



Fire and Heat Resistant



UV Resistant



Stain Resistant



Scratch Resistant



Frost Resistant



High Physical Strength



Low Water Absorption



Impact Resistant




Dimensiona Stability



100% Mineral Base

#### **EDGE PROFILE**

The profiles below are a few of many edge designs to complement your precious masterpiece.



#### MATERIAL FOR PROFESSIONALS

Further information such as design material and fabrication manual is available at http://www.geoluxe.com/professional





#### WARRANTY

GEOLUXE® provides 15-year warranty. For more information, please go to www.geoluxe.com

\*GEOLUXE\* does not provide any warranty on the improper or incorrect use of its products. Therefore, the company is not liable for any responsibility and cannot accept claims for any damages of any kind.

#### **SPECIFICATION**

CHARACTERISTIC	TEST METHOD	SPECIFICATION
Width	ISO 10545-2	1400 mm
Length	ISO 10545-2	3200 mm
Thickness	ISO 10545-2	20.0 ± 0.5 mm
Water absorption	ISO 10545-3	≤ 0.50 %
Breaking strength	ISO 10545-4	Not less than 3000 N
Resistance to deep abrasion	ISO 10545-6	Maximum 175 mm³
Frost resistance	ISO 10545-12	Resisted
Resistance to thermal shock	ISO 10545-9	Resisted
Resistance to stains	ISO 10545-14	Minimum Class 4*
Resistance to chemical - Common household - Acid	ASTM C650	Not damaged
Reaction to fire	EN 13501-1	Class A1**

<sup>\*</sup> Based on ISO 10545-14, Class 4 is defined that the stain is removed using a weak commercial cleaning agent.

\*\* Based on EN 13501-1, Class A1 is defined as non-combustible product.

Remark: Specific test result by lot can be obtained upon request.



### **SHOWROOMS & OFFICES**

#### Jakarta

Jl. Prof. Dr. Satrio Blok C4 No.10 Kuningan Timur, Setiabudi, Jakarta Selatan 12950, Indonesia

P. +62 3972 2018 F. +62 3972 2028 WA +62 811 9740 387

#### Bali

Jl. Cargo Permai No.91 Ubung, Kec. Denpasar Utara, Kota Denpasar, Bali 80116, Indonesia

P. +62 361 9090 962 WA +62 811 9740 387

#### Medan

Komplek Pergudangan Prima Center Blok D No.9 Jl. Gatot Subroto Km. 6,7 Medan 20118, Indonesia

WA +62 81 9740 387

### Semarang

DS Coworking Siliwangi Siliwiangi Plaza Jl. Jenderal Sudirman No.187 Semarang 50149, Indonesia

WA +62 811 9740 387

## Surabaya

Jl. Embong Malang No. 67A Kel. Kedungdoro, Kec. Tegalsari, Surabaya 60261, Indonesia

P +62 31 9927 7379 WA +62 811 9740 3877

## Pangkep Sulawesi

Kp. Siloro, Desa Mangilu Kec. Bungoro, Kab. Pangkep Sulawesi Selatan 90651, Indonesia

WA +62 811 9740 387

### PRODUCTION FACILITIES

### Karawang Factory

Jl.Tarum Timur No. 64 Desa Tamelang Kecamatan Cikampek, Karawang 41373, Indonesia

P. +62264317577 F. +62264310808

### Pangkep Factory

Kp. Siloro, Desa Mangilu Kec. Bungoro, Kab. Pangkep Sulawesi Selatan 90651, Indonesia

WA +62 811 9740 387

# Jakarta Showroom

Jl. Prof. Dr. Satrio Blok C4 No 10 Kuningan Timur, Setiabudi Jakarta Selatan 12950, Indonesia

P. +62 3972 2018 F. +62 3972 2028 WA +62 811 9740 387



